

Text

COCOON[®] Uncoated

Weight	Size	M Weight	REAM				SKIDS	
			Sheets per ream	Ream per pallet	Sheets per pallet	Item Code #	Sheets per skid	Item Code #
54 lb / 80 gsm Brightness – 100 Opacity – 94 Caliper – 0.0037	13 " x 19 "	28	500	76	38000	COCUN080R13X19	38000	COCUN080B13X19
	19 " x 25 "	54	500	38	19000	COCUN080R19X25	19000	COCUN080B19X25
	20 " x 26 "	59	500	38	19000	COCUN080R20X26	19000	COCUN080B20X26
	23 " x 29 "	76	500	19	9500	COCUN080R23X29	9500	COCUN080B23X29
	23 " x 35 "	92	500	19	9500	COCUN080R23X35	9500	COCUN080B23X35
	25 " x 38 "	108	500	19	9500	COCUN080R25X38	9500	COCUN080B25X38
	26 " x 40 "	118	250	38	9500	COCUN080R26X40	9500	COCUN080B26X40
	28 " x 40 "	127	250	38	9500	COCUN080R28X40	9500	COCUN080B28X40
61 lb / 90 gsm Brightness – 100 Opacity – 96 Caliper – 0.0041	13 " x 19 "	32	500	68	34000	COCUN090R13X19	34000	COCUN090B13X19
	19 " x 25 "	61	500	34	17000	COCUN090R19X25	17000	COCUN090B19X25
	20 " x 26 "	67	500	34	17000	COCUN090R20X26	17000	COCUN090B20X26
	23 " x 29 "	85	500	17	8500	COCUN090R23X29	8500	COCUN090B23X29
	23 " x 35 "	103	500	17	8500	COCUN090R23X35	8500	COCUN090B23X35
	25 " x 38 "	122	250	34	8500	COCUN090R25X38	8500	COCUN090B25X38
	26 " x 40 "	133	250	34	8500	COCUN090R26X40	8500	COCUN090B26X40
	28 " x 40 "	143	250	34	8500	COCUN090R28X40	8500	COCUN090B28X40
68 lb / 100 gsm Brightness – 100 Opacity – 96.5 Caliper – 0.0046	13 " x 19 "	35	500	60	30000	COCUN100R13X19	31000	COCUN100B13X19
	19 " x 25 "	68	500	30	15000	COCUN100R19X25	15500	COCUN100B19X25
	20 " x 26 "	74	500	30	15000	COCUN100R20X26	15500	COCUN100B20X26
	23 " x 29 "	95	500	15	7500	COCUN100R23X29	7750	COCUN100B23X29
	23 " x 35 "	114	500	15	7500	COCUN100R23X35	7750	COCUN100B23X35
	25 " x 38 "	135	250	31	7750	COCUN100R25X38	7750	COCUN100B25X38
	26 " x 40 "	148	250	31	7750	COCUN100R26X40	7750	COCUN100B26X40
	28 " x 40 "	159	250	31	7750	COCUN100R28X40	7750	COCUN100B28X40
81 lb / 120 gsm Brightness – 100 Opacity – 98 Caliper – 0.0054	13 " x 19 "	42	500	52	26000	COCUN120R13X19	26000	COCUN120B13X19
	19 " x 25 "	81	500	26	13000	COCUN120R19X25	13000	COCUN120B19X25
	20 " x 26 "	89	500	26	13000	COCUN120R20X26	13000	COCUN120B20X26
	23 " x 29 "	114	500	13	6500	COCUN120R23X29	6500	COCUN120B23X29
	23 " x 35 "	137	250	26	6500	COCUN120R23X35	6500	COCUN120B23X35
	25 " x 38 "	162	250	26	6500	COCUN120R25X38	6500	COCUN120B25X38
	26 " x 40 "	177	250	26	6500	COCUN120R26X40	6500	COCUN120B26X40
	28 " x 40 "	191	250	26	6500	COCUN120R28X40	6500	COCUN120B28X40
	29,5 " x 21,0 "	106	500	13	6500	COCUN120R29,5X21	6500	COCUN120B29,5X21

Weight	Size	M Weight	REAM				SKIDS	
			Sheets per ream	Ream per pallet	Sheets per pallet	Item Code #	Sheets per skid	Item Code #
95 lb / 140 gsm Brightness – 100 Opacity – 98 Caliper – 0.0063	13" x 19"	49	500	48	24000	COCUN140R13X19	24000	COCUN140B13X19
	19" x 25"	95	500	24	12000	COCUN140R19X25	12000	COCUN140B19X25
	20" x 26"	104	500	24	12000	COCUN140R20X26	12000	COCUN140B20X26
	23" x 29"	133	250	24	6000	COCUN140R23X29	6000	COCUN140B23X29
	23" x 35"	160	250	24	6000	COCUN140R23X35	6000	COCUN140B23X35
	25" x 38"	189	250	24	6000	COCUN140R25X38	6000	COCUN140B25X38
	26" x 40"	207	250	24	6000	COCUN140R26X40	6000	COCUN140B26X40
	28" x 40"	223	250	24	6000	COCUN140R28X40	6000	COCUN140B28X40
29,5" x 21,0"	123	250	24	6000	COCUN140R29,5X21	6000	COCUN140B29,5X21	
108 lb / 160 gsm Brightness – 100 Opacity – 99 Caliper – 0.0072	13" x 19"	56	250	80	20000	COCUN160R13X19	20000	COCUN160B13X19
	19" x 25"	108	250	40	10000	COCUN160R19X25	10000	COCUN160B19X25
	20" x 26"	118	250	40	10000	COCUN160R20X26	10000	COCUN160B20X26
	23" x 29"	152	250	20	5000	COCUN160R23X29	5000	COCUN160B23X29
	23" x 35"	183	250	20	5000	COCUN160R23X35	5000	COCUN160B23X35
	25" x 38"	216	250	20	5000	COCUN160R25X38	5000	COCUN160B25X38
	26" x 40"	237	125	41	5125	COCUN160R26X40	5000	COCUN160B26X40
	28" x 40"	255	125	41	5125	COCUN160R28X40	5000	COCUN160B28X40
29,5" x 21,0"	141	250	20	5000	COCUN160R29,5X21	5000	COCUN160B29,5X21	

Weight	Size	M Weight	REAM				SKIDS	
			Sheets per ream	Ream per pallet	Sheets per pallet	Item Code #	Sheets per skid	Item Code #
74 lb / 200 gsm Brightness – 100 Opacity – 99.5 Caliper – 0.0091	13" x 19"	70	250	64	16000	COCUN200R13X19	16000	COCUN200B13X19
	19" x 25"	135	250	32	8000	COCUN200R19X25	8000	COCUN200B19X25
	20" x 26"	148	250	32	8000	COCUN200R20X26	8000	COCUN200B20X26
	23" x 29"	190	250	16	4000	COCUN200R23X29	4000	COCUN200B23X29
	23" x 35"	229	250	16	4000	COCUN200R23X35	4000	COCUN200B23X35
	25" x 38"	270	125	32	4000	COCUN200R25X38	4000	COCUN200B25X38
	26" x 40"	296	125	32	4000	COCUN200R26X40	4000	COCUN200B26X40
	28" x 40"	319	125	32	4000	COCUN200R28X40	4000	COCUN200B28X40
21,0" x 29,5"	96	250	16	4000	COCUN200R21X29,5	4000	COCUN200B21X29,5	
80 lb / 216 gsm Brightness – 100 Opacity – 100 Caliper – 0.0098	13" x 19"	76	250	60	15000	COCUN216R13X19	15000	COCUN216B13X19
	19" x 25"	146	250	30	7500	COCUN216R19X25	7500	COCUN216B19X25
	20" x 26"	160	250	30	7500	COCUN216R20X26	7500	COCUN216B20X26
	23" x 29"	205	250	15	3750	COCUN216R23X29	3750	COCUN216B23X29
	23" x 35"	247	125	30	3750	COCUN216R23X35	3750	COCUN216B23X35
	25" x 38"	292	125	30	3750	COCUN216R25X38	3750	COCUN216B25X38
	26" x 40"	319	125	30	3750	COCUN216R26X40	3750	COCUN216B26X40
	28" x 40"	344	125	30	3750	COCUN216R28X40	3750	COCUN216B28X40
21,0" x 29,5"	104	250	15	3750	COCUN216R21X29,5	3750	COCUN216B21X29,5	
92 lb / 250 gsm Brightness – 100 Opacity – 100 Caliper – 0.0113	13" x 19"	88	250	48	12000	COCUN250R13X19	12000	COCUN250B13X19
	19" x 25"	169	250	24	6000	COCUN250R19X25	6000	COCUN250B19X25
	20" x 26"	185	250	24	6000	COCUN250R20X26	6000	COCUN250B20X26
	23" x 29"	237	125	25	3125	COCUN250R23X29	3000	COCUN250B23X29
	23" x 35"	286	125	25	3125	COCUN250R23X35	3000	COCUN250B23X35
	25" x 38"	338	125	25	3125	COCUN250R25X38	3000	COCUN250B25X38
	26" x 40"	370	125	25	3125	COCUN250R26X40	3000	COCUN250B26X40
	28" x 40"	398	125	25	3125	COCUN250R28X40	3000	COCUN250B28X40
21,0" x 29,5"	121	250	12	3000	COCUN250R21X29,5	3000	COCUN250B21X29,5	
100 lb / 270 gsm Brightness – 100 Opacity – 100 Caliper – 0.0122	13" x 19"	95	125	92	11500	COCUN270R13X19	11000	COCUN270B13X19
	19" x 25"	182	125	46	5750	COCUN270R19X25	5500	COCUN270B19X25
	20" x 26"	200	125	46	5750	COCUN270R20X26	5500	COCUN270B20X26
	23" x 29"	256	125	23	2875	COCUN270R23X29	2750	COCUN270B23X29
	23" x 35"	309	125	23	2875	COCUN270R23X35	2750	COCUN270B23X35
	25" x 38"	365	125	23	2875	COCUN270R25X38	2750	COCUN270B25X38
	26" x 40"	399	125	23	2875	COCUN270R26X40	2750	COCUN270B26X40
	28" x 40"	430	125	23	2875	COCUN270R28X40	2750	COCUN270B28X40
21,0" x 29,5"	130	125	22	2750	COCUN270R21X29,5	2750	COCUN270B21X29,5	

Weight	Size	M Weight	REAM				SKIDS	
			Sheets per ream	Ream per pallet	Sheets per pallet	Item Code #	Sheets per skid	Item Code #
111 lb / 300 gsm Brightness – 100 Opacity – 100 Caliper – 0.0137	13" x 19"	105	125	84	10500	COCUN300R13X19	10000	COCUN300B13X19
	19" x 25"	203	125	42	5250	COCUN300R19X25	5000	COCUN300B19X25
	20" x 26"	222	125	42	5250	COCUN300R20X26	5000	COCUN300B20X26
	23" x 29"	285	125	21	2625	COCUN300R23X29	2500	COCUN300B23X29
	23" x 35"	343	125	21	2625	COCUN300R23X35	2500	COCUN300B23X35
	25" x 38"	405	125	21	2625	COCUN300R25X38	2500	COCUN300B25X38
	26" x 40"	444	125	21	2625	COCUN300R26X40	2500	COCUN300B26X40
	28" x 40"	478	100	26	2600	COCUN300R28X40	2500	COCUN300B28X40
	21,0" x 29,5"	145	125	20	2500	COCUN300R21X29,5	2500	COCUN300B21X29,5
129 lb / 350 gsm Brightness – 100 Opacity – 100 Caliper – 0.0160	13" x 19"	123	125	72	9000	COCUN350R13X19	9000	COCUN350B13X19
	19" x 25"	236	125	36	4500	COCUN350R19X25	4500	COCUN350B19X25
	20" x 26"	259	125	36	4500	COCUN350R20X26	4500	COCUN350B20X26
	23" x 29"	332	125	18	2250	COCUN350R23X29	2250	COCUN350B23X29
	23" x 35"	401	125	18	2250	COCUN350R23X35	2250	COCUN350B23X35
	25" x 38"	473	100	22	2200	COCUN350R25X38	2250	COCUN350B25X38
	26" x 40"	518	100	22	2200	COCUN350R26X40	2250	COCUN350B26X40
	28" x 40"	557	100	22	2200	COCUN350R28X40	2250	COCUN350B28X40
	21,0" x 29,5"	169	125	18	2250	COCUN350R21X29,5	2250	COCUN350B21X29,5